



COMMERCIAL RANGE

Laminex[®]

Innovators in decorative surface and building solutions.

FRONT COVER

Wall panels Laminex Architectural Wall Panel in Spotted Gum TrueScale™ Classic Flat with Black Shadowline, Pencil Line Joint (left) and Express Joint (right)

Cabinetry and Island Bench Laminex Sublime Teak

Ceiling Tiles Laminex Architectural Ceiling Tile in Blackened Legno Batten 40 with Black Shadowline

Table Tops Laminex Kalamata

THIS PAGE

Cabinetry Laminex Spotted Gum TrueScale™ in AbsoluteGrain® finish

Desk Laminex Natural Teak in AbsoluteGrain® finish

Design CJH Studio



CONTENTS

SUSTAINABILITY CERTIFICATIONS	06
APPLICATION INDEX	08
PROTEC+ ANTIMICROBIAL TECHNOLOGY	10
NEXT GENERATION WOODGRAINS	12
LAMINEX TRUESCALE®	18
LAMINEX ARCHITECTURAL PANELS	20
LARGE FORMAT COMMERCIAL STRUCTURAL MR® MDF	26
LARGE FORMAT COMMERCIAL DECORATED PARTICLEBOARD MR E0	32
DECORWOOD®	38
LAMINEX ABSOLUTEMATTE®	42
FIREGUARD® DÉCOR	44
DÉCOR FEATURE: THE LAMINEX PLYWOOD SERIES	46
MULTIPURPOSE COMPACT LAMINATE	48
MULTIPURPOSE COMPACT LAMINATE ABSOLUTEMATTE® FINISH	54
LABORATORY COMPACT LAMINATE	58
ALFRESCO COMPACT LAMINATE	60
MADE-TO-MEASURE COMPACT LAMINATE	62
WATERLOO™ PARTITIONING SYSTEMS	64
CHEMICAL RESISTANT LAMINATE	66
METALLIC LAMINATES	68
CUSTOMART® SURFACES	70
WRITABLE SURFACES	72

PG



Project Hudson CBD Project
Architect IA Design
Photography Alanna Jayne McTiernan
Wall panels Laminex Seasoned Oak
Seating kickers Laminex Gunmetal

SUSTAINABILITY CERTIFICATIONS

As a proud Australian manufacturer, sustainable practices are an important part of our manufacturing capabilities. We maintain a conscious commitment to environmental and social sustainability and achieving our goals across all of our operations. Together, we're re-imagining surfaces to shape better spaces—made for all Australians and made for good.

ENVIRONMENTAL PRODUCT DECLARATIONS (EPD)

Environmental Product Declarations (EPD) present transparent, verified, and comparable information about the life-cycle and environmental impact of products and services.

Laminex's independently verified EPDs provide important product-specific emission data to help the industry measure and reduce embodied carbon emissions in their projects. Recognised under the Green Building Council of Australia's Responsible Products Framework, our EPDs contribute to credits for responsible finishes, upfront carbon, and lifecycle impacts within Green Star tools.

These technical disclosures complement our suite of sustainability, product transparency and responsible sourcing certifications.

Download EPDs here: epd-australasia.com/company-epd/laminex-au

GECA CERTIFICATION

Laminex Australia is proud to offer a range of Good Environmental Choice Australia (GECA) certified products. GECA is Australia's only independent, not-for-profit, multi-sector ecolabelling program and the only Australian member with GENICES recognition from the Global Ecolabelling Network (GEN). When you see a GECA eco-label you know that the product or service you are considering has been rigorously assessed for its environmental impact over its lifecycle and that it is a better choice for you, your family, colleagues and our planet.

One lifecycle ecolabel to cover:

- Environment
- Social Impacts
- Human Health

In choosing to certify our products with GECA, Laminex has committed to meeting the highest environmental and ethical standards in production and materials. For more information please visit: www.geca.eco



DECLARE LABEL

Laminex holds Declare labels for many of its manufactured products. The Declare label, developed by the International Living Future Institute (ILFI), discloses all ingredients in the product down to 100 parts per million (ppm), manufacturing location, and end-of-life options.

The Red List is a list of chemicals and materials considered harmful to human well-being and the environment, commonly found in building products. Achieving Declare certification shows Laminex's commitment to material health and sustainability, and helps our customers to make informed choices for healthier spaces.

TIMBER CERTIFICATION

As one of Australia's largest manufacturers of wood products, Laminex supports responsible forest management and is committed to producing quality products from quality materials that are backed by globally recognised certifications. Our raw materials are sourced through verified supply chains to ensure the wood fibre used in our products comes from sustainably managed forests and controlled sources. Our products are labelled in accordance with the PEFC Chain of Custody standard.

Our manufacturing facilities hold their own PEFC certifications. This means all certified wood products from these facilities can be traced from plantation to final manufactured product.

SUSTAINABLE MANUFACTURING INITIATIVES

Laminex Australia also maintains ISO 14001 Environmental Management System certification for all manufacturing sites. We are focused on waste and emission reduction initiatives to reduce our overall environmental impact.

Find all of our documentation, certificates and reports at laminex.com.au/about-us/sustainability

Declare.



APPLICATION INDEX

	COUNTERS/BENCHTOPS	CABINETY	WALL LININGS	CEILING LININGS	TOILET PARTITIONS	SHOWER PARTITIONS	LOCKERS	BENCH SEATING	COMMERCIAL FURNITURE	CEILING TILES AND PANELS	WALL PANELS
Large Format Commercial		✓	✓	✓	✓		✓		✓		
Decorwood®							✓		✓		
AbsoluteGrain® Panels		✓	✓	✓					✓		✓
AbsoluteMatte® HPL	✓		✓	✓			✓		✓		
AbsoluteMatte® Panels		✓	✓	✓			✓		✓		
Fireguard® Décor			✓	✓						✓	
Multipurpose Compact Laminate	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Laboratory Compact Laminate	✓	✓	✓						✓		
Alfresco Compact Laminate	✓	✓	✓						✓		
Waterloo™ Partitioning Systems					✓	✓	✓	✓			
Chemical Resistant Laminate	✓	✓							✓		
Metallic Laminates		✓	✓								
CustomArt® Surfaces			✓	✓			✓				
Laminex Architectural Panels			✓	✓						✓	✓



Wall linings Laminex Luxe Elba TrueScale™
Stand Laminex Danish Walnut
Island Laminex Possum

Now more than ever, we understand the importance of maintaining hygiene in interior spaces we frequently touch, such as cabinetry, benchtops, tabletops and toilet and shower partitioning. Laminex has taken the lead with the introduction of Protec+, an antimicrobial surface technology that inhibits the growth of bacteria, fungus and now COVID-19 virus. Protec+ is now manufactured as standard into selected Laminex high-pressure laminate (HPL), including AbsoluteMatte® HPL, as well as Laminex Multipurpose Compact Laminate, Laminex Aquapanel® and Laminex Structural MR® MDF.

PROTEC+ FAST FACTS

PEACE OF MIND

Laminex Protec+ properties do not wipe off or leach out of the surface. This gives you enhanced antimicrobial protection for the expected life of the surface.

CLEANER ENVIRONMENTS EVERYWHERE

Laminex Protec+ can be used to create a safer, cleaner environment anywhere, including hospitals, schools, hotels, shops, cafés, sport facilities and public toilets.

PROVEN EFFECTIVENESS

Laminex Protec+ has been independently tested in accordance with a number of leading standards, including: ISO22196:2011, ISO 21702:2019, JIS Z2801 and ASTM G21, which measure antimicrobial activity, fungi resistance and COVID-19 virus resistance.

BRAND	PRODUCT FAMILY	PRODUCT RANGE	PROTEC+
Laminex	HPL	Standard	✓
		Chemical Resistant	✓
		AbsoluteMatte®	✓
	Compact	Multipurpose Compact Laminate	✓
		Laboratory Compact Laminate	✓
		Alfresco Compact Laminate	✓
		Aquapanel (Natural Finish Only)	✓
	Decorated Board	Structural MR® MDF	✓



Wall Lining Laminex Structural MR MDF® in Laminex Moroccan Clay
Tabletops Laminex Burnt Ochre

NEXT GENERATION WOODGRAINS

Marked by a new level of authenticity, scale and occasion, our Next Generation Laminex Woodgrain décors allow moments of wonder and beautiful interiors to take shape with a genuine sense of place, highlighted by a range of Australian Native décors.

With our premium AbsoluteGrain® finish, for a more authentic look and feel, and Laminex TrueScale® technology for no repeat designs, this remarkable range includes six native Australian woodgrains, three oaks and three walnuts, all designed to complement the existing range of Laminex décors.

Protec+ Antimicrobial Technology



A proud Australian manufacturer

Declare.



Clockwise from top left:
Laminex Tasmanian Oak TrueScale™
Laminex Blackbutt TrueScale™
Laminex Rotary Hoop Pine TrueScale™
Laminex Premier Oak TrueScale™
Laminex Victorian Ash TrueScale™

Cabinetry Laminex Spotted Gum TrueScale™ in AbsoluteGrain® finish
Desk Laminex Natural Teak in AbsoluteGrain® finish
Design CJH Studio

TRUE TO NATURE, NEXT GENERATION WOODGRAINS SPEAK TO OUR LOVE OF THE AUSTRALIAN NATURAL ENVIRONMENT, AND OUR DEDICATION TO PROVIDING THE BEST POSSIBLE SURFACE SOLUTIONS FOR AUSTRALIAN SPACES.

AUSTRALIAN NATIVE WOODGRAINS

Inspired by the world around us and crafted in consultation with our local design industry, the Laminex Australian Natives Collection embraces the vivid spectrum of our expansive native landscape.

Taken from all corners of the country, six décors have been developed from Australian timber veneers, maintaining the traits and characteristics of their existing grain structures to ensure the most natural of outcomes.

As a result, this collection provides an authentic alternative to timber veneers, eliminating the need to remove timber from Australian Native forests and providing a responsible and durable option for our spaces.

LAMINEX ABSOLUTEGRAIN®

Laminex AbsoluteGrain® is a premium woodgrain finish featuring subtle textural variation and intricate detailing to achieve the organic look and feel of natural timber.

Years of research and development have led to a tactile finish that makes our Next Generation Woodgrains not just an authentic surface solution but an unmatched and legitimate veneer alternative, with the durability, sustainability and quality of Laminex.

PRODUCT	FINISH	DIMENSIONS	THICKNESS	PROTEC+
AbsoluteGrain® Decorated MR EO MDF	AbsoluteGrain®	2400mm x 1200mm 3600mm x 1200mm	18mm, 25mm*, 32mm*	
AbsoluteGrain® Decorated MR EO Particleboard	AbsoluteGrain®	3600mm x 1800mm	18mm, 25mm*, 33mm*	
AbsoluteGrain® Thin Laminate	AbsoluteGrain®	3660mm x 1500mm 3600mm x 750mm	0.7mm**	✓

*Not all colours in all thicknesses stocked. Refer to laminex.com.au or the National Availability Guide for availability.

ABS EDGING

	WIDTH	21MM	22MM	29MM	38MM	55MM
AbsoluteGrain®	Thickness	1mm	2mm	1mm, 2mm	2mm	1mm
	Rolls	25m, 100m	100m	100m	100m	100m

Note: Not all colours are stocked in all standard ABS and InvisiEdge Edging. Please refer to laminex.com.au for availability. Matching Edging for 33mm made-to-order options may attract higher minimum order and longer lead times.

Note: ABS edging does not fall under Declare and GECA.


ABSOLUTEGRAIN® FEATURES



Horizontal Application



Vertical Application



Tactile



Stain Resistant



Heat Resistant



Scratch Resistant



Water Resistant



UV Stable Indoor Use



A proud Australian manufacturer



Declare.






Milkwood
N AGR




Rotary Hoop Pine TrueScale™
N AGR



Victorian Ash TrueScale™
N AGR



Seasoned Oak
N C AGR




Whitewashed Oak
N C AGR



Calm Oak
N C AGR



Tasmanian Oak TrueScale™
N AGR



Classic Oak
N NU AGR



Blackbutt TrueScale™
N AGR




Rural Oak
N C AGR




Sublime Teak
N C AGR




Planked Urban Oak
N C AGR




Elegant Oak
N C AGR




Light Jarrah TrueScale™
N AGR




Spotted Gum TrueScale™
N AGR




Austral Oak TrueScale™*
N AGR




Premier Oak TrueScale™*
N AGR



Light Walnut
N AGR




Refined Walnut
N AGR




Sepia Walnut
N AGR

*HPL suitable for vertical use only




Natural Teak
N NU AGR




Natural Walnut
N C AGR



Midnight Oak TrueScale™*
N AGR




Blackened Legno
N C AGR




Burnished Wood
N NU AGR



Chalk White
N AGR




Aries
N F S DG AM AGR




Oyster Grey
N F S DG AM AG AGR



Bayleaf
N F AGR



Terril
N F AM AG AGR



Black
N F S NU AM AG AGR

*HPL suitable for vertical use only

Legend N Natural Finish NU Nuance Finish C Chalk Finish AM AbsoluteMatte Finish
AG AbsoluteGloss Finish AGR AbsoluteGrain® Finish



Cabinetry Laminex Blackbutt TrueScale™ in AbsoluteGrain® finish
Island Laminex Rotary Hoop Pine TrueScale™ in AbsoluteGrain® finish
Design CJH Studio

LAMINEX TRUESCALE®

Laminex TrueScale® is a celebration of scale and authenticity. In a market first, realistic, no-repeat designs of natural timber and stone are now available, expanding the possibilities of what can be achieved with laminate surface solutions. Extensive research has enabled Laminex to achieve the intricate detail of marble and woodgrains at a scale previously unavailable in Australia. The development of cutting-edge technology and a dedication to the Australian design industry has meant Laminex can offer the most realistic, no repeat laminate designs on the market.

Laminex TrueScale® brings all the recognised hallmarks of Laminex durability and resilience stain, heat, water and scratch resistance, while remaining UV stable. Traditionally, printing organic mineral and woodgrain textures at this scale would be practically impossible, yet with Laminex TrueScale®, lengths of up to 3600mm can be achieved with no repeat, for true to life results and remarkable authenticity.

Both our Mineral and Woodgrain TrueScale™ ranges are suitable for horizontal applications—benchtops and flat surfaces—and vertical applications—wall panels, cabinets, and panels. Offering enhanced flexibility and authentic textures compared to natural stone and woodgrains, Laminex TrueScale® can be paired with ABS Edging in 15m × 38mm × 1mm rolls to provide realistic and hardwearing edges for benchtops, shelves, and cabinets.


A select range of our Woodgrain TrueScale™ range are available in our Laminex Architectural Panels range for both wall and ceiling applications to work cohesively with our board and laminate range.



Calacatta Majore TrueScale™
N




Premio Carrara TrueScale™
N




Luxe Elba TrueScale™
N



Marmo Grigio TrueScale™
N




Rotary Hoop Pine TrueScale™
N AGR




Victorian Ash TrueScale™
N AGR



Tasmanian Oak TrueScale™
N AGR



Blackbutt TrueScale™
N AGR



Light Jarrah TrueScale™
N AGR



Spotted Gum TrueScale™
N AGR



Austral Oak TrueScale™*
N AGR



Premier Oak TrueScale™*
N AGR



Midnight Oak TrueScale™*
N AGR

*HPL suitable for vertical use only

Legend N Natural Finish AGR AbsoluteGrain® Finish

View full sheets and learn more
<https://www.laminex.com.au/brands/laminex/true-scale>



Cabinetry Laminex Tasmanian Oak TrueScale™
Island Laminex Tasmanian Oak TrueScale™
Design CJH Studio



LAMINEX ARCHITECTURAL PANELS

Introducing Laminex Architectural Panels—an evolution in walls and ceilings. Designed and made in Australia, Laminex Architectural Panels seamlessly integrate walls, ceilings and joinery to create considered spaces full of architectural detail. With an array of décors and profiles, the design possibilities are virtually endless.

WALLS

Laminex Architectural Wall Panels have been created using a wide selection of realistic woodgrain décors from the Laminex Colour Collection, available in Batten, Planked and Flat profiles to ensure seamless integration through your next project.

The Classic Flat profile offers a modern reversible panel allowing you to choose between a 1mm pencil joint or a 7mm express joint.

Effective Coverage: HxW (mm)

Laminex Architectural Wall Panels are MDF MR, Fire Group 3 rated.

PROFILE	PANEL SIZE HXW (MM)	EFFECTIVE WIDTH HXW (MM)	THICKNESS (MM)	PACK QTY	EFFECTIVE COVERAGE (SQM)	FIRE RATING
Classic Flat	3000 x 1200	3000 x 1174	12	1 panel	3.52	Group 3
Batten 40	3000 x 578	3000 x 560	16	2 panels	3.36	Group 3
Batten 60	3000 x 558	3000 x 540	16	2 panels	3.24	Group 3
VGroove 100	3000 x 518	3000 x 500	16	2 panels	3.00	Group 3


THE INVISILOCK™ SYSTEM

The InvisiLock™ joining system is exclusive to the Laminex Architectural Wall Panel range, allowing each panel to be connected seamlessly, providing a bow and gap-free finish and minimising installation time.



Wall Panels Laminex Architectural Wall Panels in Sublime Teak Batten 40 with Natural Shadowline
Cabinetry Laminex Sublime Teak
Ceiling Panels Laminex Architectural Ceiling Panels Blackened Legno Batten 40 with Black Shadowline

PROFILES



Classic Flat



Batten 40



Batten 60




VGroove 100

LAMINEX DÉCORS




Raw Birchply
CF B40 B60 VG100




Victorian Ash TrueScale™
CF




Calm Oak
CF




Classic Oak
CF B40 B60 VG100



Tasmanian Oak TrueScale™
CF




Sublime Teak
CF B40 B60 VG100




Planked Urban Oak
CF B40 B60 VG100




Spotted Gum TrueScale™
CF



Danish Walnut
CF B40 B60 VG100



Blackened Legno
CF B40 B60 VG100



Black
CF

Not all décors available in all profiles.
Décors are accented with a Black Shadowline. Laminex Sublime Teak and Laminex Tasmanian Oak TrueScale™ are also available with a Natural Shadowline.
Batten and VGroove supplied as 2 panel pack, Classic Flat supplied as single sheet.

Legend CF Classic Flat B40 Batten 40 B60 Batten 60 VG100 VGroove 100

Wall Panels Laminex Architectural Wall Panels in Danish Walnut Batten 40 with Black Shadowline
Integrated Joinery Laminex Danish Walnut




CEILINGINGS

Laminex Architectural Ceiling Panels is a range of prefinished ceiling panels and tiles designed to make an impact wherever they are used. The range features a selection of popular Laminex woodgrain décors in three linear profiles, bringing textural interest and the warmth of timber to any space. Ideal for both retrofit and new ceiling systems, this collection of tiles and panels offers direct fix or suspended ceiling options suitable for a range of projects. The large-format panels feature unique, removable tongue-and-groove joints, enabling a variety of panel layouts for versatile design possibilities.

CEILING PANELS

The large-format panels feature unique, removable tongue-and-groove joints, enabling a variety of panel layouts for versatile design possibilities.

Effective Coverage (mm)



	PROFILE	PANEL SIZE / EFFECTIVE DIMENSION LXW	THICKNESS	PACK QTY	EFFECTIVE COVERAGE (SQM)	FIRE RATING
Panels	Batten 40	2400mm x 560mm	12mm	2 panels	2.69	Group 2
	Batten 60	2400mm x 540mm	12mm	2 panels	2.59	Group 2
	VGroove 100	2400mm x 500mm	12mm	2 panels	2.40	Group 2

CEILING TILES

A collection of tiles ideal for both retrofit and new ceiling solutions. Offered in both direct fix and suspended ceiling options, they are suitable for a range of projects.

Effective Coverage (mm)




	PROFILE	PANEL SIZE / EFFECTIVE DIMENSION LXW	THICKNESS	PACK QTY	EFFECTIVE COVERAGE (SQM)	FIRE RATING
Tiles	Batten 40	1195mm x 595mm	12mm	5 tiles	3.56	Group 2
	Batten 60	1195mm x 595mm	12mm	5 tiles	3.56	Group 2
	VGroove 100	1195mm x 595mm	12mm	5 tiles	3.56	Group 2



Wall & Ceiling Panels & Bar Accent Laminex Architectural Panels in Planked Urban Oak Batten 60 with Black Shadowline
Benchtop Feature Laminex Outback Clay

PROFILES



Batten 40



Batten 60



VGroove 100

Décors are accented with a Black Shadowline. Laminex Sublime Teak Ceiling Panels are also available with a Natural Shadowline.

Ceiling Panels are provided as a 2 panel pack. Ceiling Tiles are provided as a 5 tile pack.

Suitable for internal and interior enclosed alfresco application (see technical documentation).

LAMINEX DÉCORS




Raw Birchply



Classic Oak




Sublime Teak



Planked Urban Oak



Danish Walnut



Blackened Legno

LARGE FORMAT COMMERCIAL: LAMINEX STRUCTURAL MR® MDF

The Laminex Large Format Commercial Range comprises the most popular Laminex décors, in versatile 3600 x 1800 panels for applications such as cabinetry, wall panelling, partitioning and office furniture.

For demanding projects where surface hygiene and durability are required Laminex Structural MR® MDF is recommended. This range provides superior impact resistance, with the 18mm version even featuring an extra high density core for up to twice the impact resistance of Laminex Decorated Particleboard 18mm.

Laminex Structural MR® MDF also includes Protec+ antibacterial and antifungal technology which has been proven effective against COVID-19, reducing the amount on the surface by 88% after 24 hours in independent testing (ISO 21702:2019).

TECHNICAL DETAILS

	STRUCTURAL MR® MDF		DECORATED PARTICLEBOARD MR
SUBSTRATE	High Density MDF	MDF	Particleboard
THICKNESS	18mm	25mm or 32mm	18mm, 25mm & 33mm
PROTEC+ ANTIMICROBIAL	Yes		-
ENHANCED IMPACT RESISTANCE	Yes		-
FINISH	Natural/Flint, Chalk, Nuance		Natural/Flint, Chalk, Nuance or AbsoluteGrain®
COLOUR	17 stocked, 31 Made to Order (MTO)	3 stocked	56 colours*
PANEL DIMENSION	3600 x 1800mm		3600 x 1800mm
MOISTURE RESISTANCE	Yes		Yes
GECA AND DECLARE	Yes		Yes
LIMITED WARRANTY	7 Years		7 Years
MADE IN AUSTRALIA	Yes		Yes
RECOMMENDED APPLICATIONS	High Traffic Public Spaces High Touch Surfaces		Low Traffic Public Spaces Low Touch Surfaces

*Not all colours are stocked in all thicknesses. Refer to the Laminex National Availability Guide.

ABS EDGING










	WIDTH	21MM	22MM	23MM	29MM	38MM
STANDARD ABS EDGING	Thickness	1mm	2mm		1mm, 2mm	2mm
	Rolls	25m, 100m	100m		100m	100m
INVISIEDGE® ABS EDGING	Thickness			1.2mm		1.2mm
	Rolls			100m		25m

Note: Not all colours are stocked in all standard ABS and InvisiEdge Edging. Please refer to laminex.com.au for availability. Matching Edging for 33mm Made to Order options may attract higher minimum order and longer lead times.










A proud Australian manufacturer



			
Polar White N	Ghostgum N	White N	Parchment N
			
Moleskin N	Aries N	Oyster Grey N	Fox N
			
Tornado F	Lava Grey N	Fossil F	Spinifex N
			
Olivine N	Otway F	Battalion F	Charcoal F
			
Terril F	Black F NU	Portsea F	Moroccan Clay F

Legend
 N Natural Finish
 NU Nuance Finish
 C Chalk
 F Flint Finish
 AGR AbsoluteGrain® Finish


			
Golden Wattle F	Coastal Sunrise F	Pillarbox N	Milkwood N
			
Oyster Linea N	Dansk Maple N	Seasoned Oak N C	Raw Birchply N C
			
Calm Oak N C	Classic Oak N NU	Planked Urban Oak N C	Elegant Oak N C
			
Sublime Teak N C	Select Beech N	Young Beech N	Curly Birch N
			
Rock Maple N	Rural Oak N C	Natural Walnut N C	Danish Walnut N C




Lustrous Elm
N



Fox Teakwood
N




Burnished Wood
N NU



Black Birchply
N C



Alaskan
N



Zincworks
N



New Graphite
N



Greystone
N

Legend N Natural Finish NU Nuance Finish C Chalk Finish AGR AbsoluteGrain® Finish



Wall linings Laminex Golden Wattle, Moroccan Clay, French Navy and Coastal Sunrise in Laminex Structural MR® MDF
Inner Wall Linings Laminex Golden Wattle Thin Laminates
Joinery and Shelving Laminex Elegant Oak in Laminex Structural MR® MDF

LARGE FORMAT COMMERCIAL: LAMINEX DECORATED PARTICLEBOARD MR E0

Laminex Decorated Particleboard is Moisture Resistant E0 Particleboard decorated both sides in a range of décors. It has been specially selected for today’s commercial and large scale projects. Decorated Particleboard is available in cost effective 3600mm x 1800mm panels, with thicknesses of 18mm, 25mm and 33mm in four different finishes. The range integrates with the Laminex Decorated MDF and Laminex Multipurpose Compact Laminate ranges.

Laminex Decorated Particleboard is proudly made in Australia.

TECHNICAL DETAILS

	STRUCTURAL MR® MDF		DECORATED PARTICLEBOARD MR®
SUBSTRATE	High Density MDF	MDF	Particleboard
THICKNESS	18mm	25mm or 32mm	18mm, 25mm & 33mm
PROTEC+ ANTIMICROBIAL	Yes		-
ENHANCED IMPACT RESISTANCE	Yes		-
FINISH	Natural/Flint, Chalk, Nuance		Natural/Flint, Chalk, Nuance or AbsoluteGrain®
COLOUR	17 stocked, 31 Made to Order (MTO)	3 stocked	56 colours
PANEL DIMENSION	3600 x 1800mm		3600 x 1800mm
MOISTURE RESISTANCE	Yes		Yes
GECA AND DECLARE	Yes		Yes
LIMITED WARRANTY	7 Years		7 Years
MADE IN AUSTRALIA	Yes		Yes
RECOMMENDED APPLICATIONS	High Traffic Public Spaces High Touch Surfaces		Low Traffic Public Spaces Low Touch Surfaces


















A proud
Australian
manufacturer












ABS EDGING	WIDTH	21MM	22MM	23MM	29MM	38MM
STANDARD ABS EDGING	Thickness	1mm	2mm		1mm, 2mm	2mm
	Rolls	25m, 100m	100m		100m	100m
INVISIEDGE® ABS EDGING	Thickness	-	-	1.2mm	-	1.2mm
	Rolls	-	-	100m	-	25m

Note: Not all colours are stocked in all standard ABS and InvisiEdge™ Edging. Please refer to laminex.com.au for availability. Matching Edging for 33mm Made to Order options may attract higher minimum order and longer lead times.

			
Polar White F	Chalk White N	White F	Parchment F
			
Moleskin F	Ghostgum F	Aries F	Oyster Grey F
			
Fox F	Tornado F	Lava Grey N	Platypus F
			
Fossil F	Spinifex N	Bayleaf F	Charcoal F

			
Olivine N	Green Slate F	Otway F	Battalion F
			
Terril F	Black F AGR	Portsea F	Moroccan Clay F
			
Golden Wattle F	Coastal Sunrise F	Pillarbox N	Milkwood N
			
Seasoned Oak N	Dansk Maple F	Raw Birchply N C	Young Beech F
			
Rock Maple F	Rotary Hoop Pine TrueScale™ N	Calm Oak N C	Victorian Ash TrueScale™ N

Legend **N** Natural Finish **NU** Nuance Finish **C** Chalk Finish **AGR** AbsoluteGrain® Finish **F** Flint Finish

			
Tasmanian Oak TrueScale™ N AGR	Curly Birch F	Elegant Oak N C AGR	Select Beech F
			
Sublime Teak N C	Planked Urban Oak N C	Premier Oak TrueScale™ N	Natural Walnut N C AGR
			
Danish Walnut N C	Classic Oak N NU AGR	Rural Oak N C	Blackbutt TrueScale™ N
			
Spotted Gum TrueScale™ N AGR	Light Jarrah TrueScale™ N	Sepia Walnut N	Midnight Oak TrueScale™ N AGR
			
Zincworks N	New Graphite F	Greystone F	Burnished Wood N

Legend **N** Natural Finish **NU** Nuance Finish **C** Chalk Finish **AGR** AbsoluteGrain® Finish **F** Flint Finish



LARGE FORMAT COMMERCIAL RANGE AVAILABILITY GUIDE

	PRODUCT RANGE		STRUCTURAL MDF						DECORATED PARTICLEBOARD			
	AVAILABILITY		Stocked			Made to Order			Stocked			
	THICKNESS (MM)		18	25	32	18	25	32	18	25	33	
	COLOUR	CODE										
WHITES AND NEUTRALS	Aries	079				N	N	N	F	F		
	Battalion	042				F	F	F	F	F		
	Bayleaf	254							F	F		
	Black	460	F			NU	F, NU	F, NU	F, AGR	F, AGR	F, AGR	
	Chalk White	8524							N	N		
	Charcoal	461				F	F	F	F	F	F	
	Fossil	463				F	F	F	F	F	F	
	Fox	080				N	N	N	F	F	F	
	Ghostgum	086	N				N	N	F	F	F	
	Green Slate	8793							F	F		
	Lava Grey	8538				N	N	N	N	N		
	Moleskin	450				N	N	N	F	F		
	Olivine	161	N				N	N	N	N		
	Otway	1035	F				F	F	F	F		
	Oyster Grey	327	N				N	N	F	F	F	
	Parchment	202				N	N	N	F	F	F	
	Platypus	2607							F	F		
	Polar White	205	N	N				N	F	F	F	
	Spinifex	8539	N				N	N	N	N		
	Terril	2297	F				F	F	F	F		
	Tornado	081				F	F	F	F	F		
White	200	N	N	N				F	F	F		
WOODGRAINS	Alaskan	334				N	N	N				
	Black Birchply	8552				N, C	N, C	N, C				
	Blackbutt TrueScale™	2618							N	N		
	Burnished Wood	602	N			NU	N, NU	N, NU	N	N		
	Calm Oak	1036				N, C	N, C	N, C	N, C	N, C	N, C	
	Classic Oak	8537	N, NU	N			NU	N, NU	N, NU, AGR	N, NU, AGR	N, NU	
	Curly Birch	639				N	N	N	F	F		
	Danish Walnut	643	N			C	N, C	N, C	N, C	N, C	N	
	Dansk Maple	586				N	N	N	F	F		
	Elegant Oak	078	N, C				N, C	N, C	N, C, AGR	N, C, AGR	N, C	
	Fox Teakwood	8907				N	N	N				
	Light Jarrah TrueScale™	2615							N	N		
	Lustrous Elm	274				N	N	N				
	Midnight Oak TrueScale™	2609							N, AGR	N, AGR	AGR	
	Milkwood	604				N	N	N	N	N	N	
	Natural Walnut	068				N, C	N, C	N, C	N, C, AGR	N, C, AGR	N	
	Oyster Linea	289				N	N	N				
	Planked Urban Oak	9312				N, C	N, C	N, C	N, C	N, C	N	
	Premier Oak TrueScale™	2611							N	N		
	Raw Birchply	8910	N			C	N, C	N, C	N, C	N, C	N	
	Rock Maple	577				N	N	N	F	F		
	Rotary Hoop Pine TrueScale™	2620							N	N		
	Rural Oak	077				N, C	N, C	N, C	N, C	N, C		
	Seasoned Oak	458				N, C	N, C	N, C	N	N	N	
	Select Beech	612				N	N	N	F	F		
	Sepia Walnut	2614							N	N		
	Spotted Gum TrueScale™	2619							N, AGR	N, AGR	AGR	
	Sublime Teak	288	N, C				N, C	N, C	N, C	N, C	N, C	
	Tasmanian Oak TrueScale™	2619							N, AGR	N, AGR	AGR	
	Victorian Ash TrueScale™	2622							N	N		
	Young Beech	630				N	N	N	F	F		
	ACCENTS	Coastal Sunrise	1034				F	F	F	F	F	
		Golden Wattle	1033				F	F	F	F	F	
Moroccan Clay		150	F				F	F	F	F		
New Graphite		486				N	N	N	F	F		
Pillarbox		438				N	N	N	N	N		
Portsea		1031	F				F	F	F	F		
MINERALS	Zincworks	869				N	N	N	N	N		
	Greystone	772				N	N	N	F	F		

Made to Order options attract a 10-unit minimum order quantity, 10-unit order multiple and 10-day production lead time.

DECORWOOD®

The Laminex Decorwood® range is standard E0 MDF, decorated both sides in a range of décors. Available in 2400mm x 1800mm panels in either 18mm or 25mm thicknesses, Decorwood® is a cost-effective decorated MDF panel suitable for loose commercial furniture like lockers and desks, particularly where a shark-nose edge is required. Laminex Decorwood® is proudly made in Australia.

PANELS

Product Offer	Finishes	Panel Dimensions	Thickness
Decorwood® (Standard E0 MDF)	Natural, or Flint finish (varies by décor)	2400mm x 1800mm	18mm, 25mm

Note: Not all colours may be stocked in all thicknesses. Refer to the Laminex National Availability Guide.

ABS EDGING

	Width	21mm	22mm	23mm	29mm
Standard ABS Edging	Thickness	1mm	2mm	-	1mm, 2mm
	Rolls	25m, 100m	100m	-	100m
InvisiEdge® ABS Edging	Thickness	-	-	1.2mm	-
	Rolls	-	-	100m	-

Note: Not all colours are stocked in all standard ABS and InvisiEdge™ Edging. Please refer to laminex.com.au for availability. Matching Edging for 33mm Made to Order options may attract higher minimum order and longer lead times.

Note: ABS edging does not fall under GECA or Declare.

LAMINEX DECORWOOD® FEATURES



Light Duty
Horizontal



Vertical
Application



Stain
Resistant



Heat
Resistant



UV Stable
Indoor Use



Dimensional
Stability




A proud
Australian
manufacturer


Declare.




For full technical details, refer to the Technical Support Information available at laminex.com.au




Polar White
F



White
F




Parchment
F



Oyster Grey
F



Charcoal
F




Black
F



Zincworks
N



New Graphite
F



Greystone
F



Calm Oak
N



Dansk Maple
N




Raw Birchply
N



Young Beech
N




Curly Birch
N




Elegant Oak
N



Select Beech
N




Sublime Teak
N



Classic Oak
N



Rural Oak
N



Natural Walnut
N

Legend **N** Natural Finish **F** Flint Finish



Olivine
N



Portsea
F



Golden Wattle
F



Coastal Sunrise
F



Pillarbox
F

Legend **N** Natural Finish **F** Flint Finish



Cabinetry, Benchtop & Kicker Laminex Porcelain Blush
Joinery & Rear Cabinetry Laminex Golden Wattle
Shelving Back & Island Front Surround by Laminex Demi Round 40

LAMINEX ABSOLUTEMATTE®

Laminex AbsoluteMatte® is a super-matte, intriguingly tactile and fingerprint-resistant surface suitable for benchtops and cabinetry. AbsoluteMatte® features InvisiTouch®, a world-leading surface technology that delivers unrivalled fingerprint resistance and durability properties in an ultra-matte feel that invites the touch. Plus the laminate features our Protec+ technology to ensure your surfaces stay cleaner for longer.

In a selection of solid colours in Thin Laminates or panels, the AbsoluteMatte® range is the premium choice for a modern matte finish.

PANELS

Product Offer	Finishes	Panel Dimensions	Thickness	Protec+
AbsoluteMatte® Panel (MR E0 MDF)	AbsoluteMatte®	2400mm x 1200mm	18mm & 25mm substrate thickness	-
		3600mm x 1200mm^	(18.6mm & 25.6mm finished panel thickness)	
AbsoluteMatte® Thin Laminates	AbsoluteMatte®	3600mm x 1500mm	0.7mm sheet thickness	✓
AbsoluteMatte® Compact Laminate	AbsoluteMatte®	3600mm x 1500mm	13mm sheet thickness 18mm sheet thickness (Made to Order)	✓

^Selected colours. Refer to the Laminex National Availability Guide.

ABS EDGING

	Width	23mm	29mm	38mm	42mm
AbsoluteMatte®	Thickness	1mm	1mm	1mm	1mm
	Rolls	25m, 100m	100m	25m, 100m	25m, 50m
InvisiEdge® Edging	Thickness	1.2mm	-	-	-
	Rolls	100m	-	-	-

Note: Not all colours are stocked in all standard ABS and InvisiEdge Edging. Please refer to laminex.com.au for availability. Matching Edging for 33mm Made to Order options may attract higher minimum order and longer lead times.

Note: ABS edging not being supplied with GECA or Declare

Antimicrobial Technology

A proud Australian manufacturer

Declare



For full technical details, refer to the Technical Support Information available at laminex.com.au

ABSOLUTEMATTE® FEATURES


Horizontal Application


Vertical Application



Fingerprint Resistant



Stain Resistant



Heat Resistant



Water Resistant


Scratch Resistant


Polar White AM


White AM


Aries AM


Surf AM


Oyster Grey AM


Paper Bark AM



Spinifex AM


Green Slate AM


Otway AM


Pewter AM



Stormcloud AM


Terril AM


Moroccan Clay AM


Kalamata AM


French Navy AM


Black AM

Legend AM AbsoluteMatte® Finish

FIREGUARD® DÉCOR

Perfect for Ceiling and Wall Lining applications, this Group 2 fire-rated Moisture Resistant, Medium Density Fibreboard is decorated on both sides with a hard-wearing melamine surface. With excellent fire retardant and machining properties, Fireguard® Décor is ideally suited for wall and ceiling applications. Offered with a practical Grey Core in 16 popular décors, the Laminex Fireguard® Décor range will create a unique design feature in any commercial space.

All décors are available in either a 2400 x 1200 x 12mm sheet for ceiling linings or a 3600 x 1200 x 18mm sheet for wall linings.

In addition to the stocked offer, the full range of Laminex Colour Palette colours can be supplied as Laminex Fireguard® Décor in the sheet size/thickness options listed below. Lead times and minimum quantities apply and are detailed below.

AVAILABILITY

Fireguard® Decor	9mm	12mm	16mm	18mm	Common Applications
2400mm x 1200mm	SOE	✓	SOE	SOE	Wall & Ceiling Lining
3600mm x 1200mm	SOE	SOE	SOE	✓	Wall Lining




✓	SOE	Lead Time	Minimum Order Quantity	
Stocked	Special Order Enquiry	25 Day ex. Plant	9mm	60 Sheets
			2400x1200mm 12mm	60 Sheets
			3600x1200mm 12mm	60 Sheets
			16–18mm	40 Sheets

LAMINEX FIREGUARD® DÉCOR FEATURES


- Fire Resistant
- Water Resistant
- Light Duty Horizontal
- Vertical Application
- Stain Resistant
- Tactile
- UV Stable Indoor Use




For full technical details, refer to the Technical Support Information available at [laminex.com.au](https://www.laminex.com.au)




Polar White
N



White
N



Ghostgum
N




Oyster Grey
N



Seasoned Oak
C




Whitewashed Oak
C




Classic Oak
NU




Raw Birchply
N




Sublime Teak
C



Elegant Oak
C



Planked Urban Oak
C



Rural Oak
C




Danish Walnut
C



Blackened Legno
C



Terril
F



Black
F

Laminex Fireguard® Décor is a certified Group 2 material, in accordance with AS 5637.1. You must ensure your specific installation method, or alterations made to the panels, achieves the group rating required for your application.

Find the Fireguard Decor fire certification documents here:
<https://www.laminex.com.au/brands/laminex/product-ranges/fireguard>

Legend N Natural Finish C Chalk Finish F Flint Finish NU Nuance Finish


DÉCOR FEATURE: THE LAMINEX PLYWOOD SERIES

Laminex Plywood Décors have been painstakingly designed to deliver the authentic appeal of real plywood with the hard-wearing performance of Laminex.


BENEFITS OF LAMINEX DÉCORS PLYWOOD LAMINATE OVER PLYWOOD

The Laminex performance characteristics – durability, cleanability and ease of maintenance, stain resistance, UV resistance and colour stability – are the most obvious reasons for specifying Laminex Plywood Décors over real ply, but there are others. Installation is much simpler, for example, because the laminated panel is pre-finished, there’s no lacquering or staining; it just has to be cut to size and edged.


Laminex manufactures Plywood Laminate locally in Australia which creates a supply chain and cost advantage, compared to the imported plywood materials that can have logistics issues.




Raw Birchply
N C



Black Birchply
N C




Smoked Birchply
N



Rotary Hoop Pine TrueScale™
N AGR



Multiplex Raw
Birchply Edging



Multiplex Black
Birchply Edging



Multiplex Smoked
Birchply Edging



Multiplex Natural Edging

MATCHING PLYWOOD EDGING

To make your specification seamless Laminex have developed different types of multiplex plywood edging to match each décor.

For full technical details, refer to the Technical Support Information available at laminex.com.au


Legend N Natural Finish C Chalk Finish AGR AbsoluteGrain® Finish



Lockers, Wall Panelling and Joinery Laminex Raw Birchply
Project The Wellness Room
Architect Medifit Design & Construct
Photography Steve Scalone

MULTIPURPOSE COMPACT LAMINATE

Laminex Multipurpose Compact Laminate is beautiful in appearance and highly resilient. It’s extremely scratch, wear, stain, moisture and impact resistant, all backed by a 10-year limited warranty. This thick, versatile, self-supporting laminate panel is suitable for a variety of internal applications and is ideal for use in public and leisure spaces, such as public amenities/bathrooms, as well as furniture requiring design durability.




COMPACT LAMINATE	MULTIPURPOSE		LABORATORY	ALFRESCO
FINISH	Natural	AbsoluteMatte®	Carbide	Carbide
COLOUR	54 colours*	16 colours	7 colours	11 colours
DECORATED	Double Sided	Double Sided	Double Sided	Double Sided
CORE	Black	Black	Black	Black
THICKNESS	13mm or 18mm*	13mm or 18mm*	13mm or 16mm	13mm
PANEL DIMENSION	3600 x 1800mm	3600 x 1500mm	3600 x 1500mm	3600 x 1500mm
CHEMICAL RESISTANCE	-	-	130+ Chemicals Tested	-
UV RESISTANCE	Indoor Rated	Indoor Rated	Indoor Rated	Covered Outdoor Areas
ELECTRON BEAM CURED SURFACE	-	Yes	Yes	Yes
PROTEC+ ANTIMICROBIAL	Yes	Yes	Yes	Yes
GRAFFITI RESISTANCE	-	-	Yes	-
GECA AND DECLARE	Yes	Yes	Yes	Yes
LIMITED WARRANTY	10 Years	10 Years	10 Years	7 Years
MADE IN AUSTRALIA	Yes	Yes	Yes	Yes

*All Multipurpose colours stocked in 13mm. Select colours also stocked in 18mm (refer to Laminex National Availability Guide). Any Multipurpose colour can be Made to Order in 18mm with a 21-day lead time (Ex Plant) and a minimum order quantity of 6 sheets.

**A select range of AbsoluteMatte® colours are stocked in 13mm Multipurpose Compact (see page 36). All AbsoluteMatte® colours can be Made to Order as Multipurpose Compact with a 21-day lead time (Ex Plant) and a minimum order quantity (MOQ) of six sheets. 18mm Multipurpose Compact in any AbsoluteMatte® colour is also available with the same lead time and MOQ.

MULTIPURPOSE COMPACT LAMINATE FEATURES






Polar White
N AM**

Chalk White
N

White
N AM**

Ghostgum
N



Surf
AM**

Paper Bark
AM**

Aries
N AM**

Oyster Grey
N AM



Spinifex
N AM**

Bayleaf
N

Fox
N

Tornado
N



Pewter
AM**

Lava Grey
N

Olivine
N

Green Slate
N AM**



Otway
N AM

Fossil
N

Moose
N

Platypus
N

Legend N Natural Finish NU Nuance Finish C Chalk Finish AM AbsoluteMatte® Finish




Battalion
N

Stormcloud
AM**

Charcoal
N

Terril
N AM




French Navy
N AM

Black
N NU AM

Milkwood
N

Seasoned Oak
N




Rotary Hoop Pine TrueScale™
N

Victorian Ash TrueScale™
N

Raw Birchply
N

Calm Oak
N




Classic Oak
N NU

Elegant Oak
N

Sublime Teak
N

Tasmanian Oak TrueScale™
N




Spotted Gum TrueScale™
N

Blackbutt TrueScale™
N


Light Jarrah TrueScale™
N

Rural Oak
N


Legend N Natural Finish NU Nuance Finish C Chalk Finish AM AbsoluteMatte® Finish




Planked Urban Oak
N




Natural Walnut
N




Danish Walnut
N



Sepia Walnut
N




Burnished Wood
N



Zincworks
N




New Graphite
N



Greystone
N



Portsea
N



Kalamata
AM**



Pillarbox
N




Moroccan Clay
N AM**




Coastal Sunrise
N




Golden Wattle
N




Manhattan Concrete
N




Calacatta Majore TrueScale™
N



Premio Carrara TrueScale™
N



Luxe Elba TrueScale™
N



Marmo Grigio TrueScale™
N

Legend N Natural Finish NU Nuance Finish C Chalk Finish AM AbsoluteMatte® Finish

Cabinetry Laminex Portsea
Internal Cabinetry Laminex Moroccan Clay
Tabletop Laminex Multipurpose Compact
Laminate in Marmo Grigio TrueScale™



MULTIPURPOSE COMPACT LAMINATE ABSOLUTEMATTE® FINISH

Available now in Laminex Multipurpose Compact Laminate, AbsoluteMatte® is a super-matte, intriguingly tactile and fingerprint-resistant surface. Advanced new technology delivers fingerprint resistance, plus features our Protec+ technology to ensure your surfaces stay cleaner for longer.

Laminex Multipurpose Compact Laminate in AbsoluteMatte® Finish is proudly made in Australia.

LAMINEX ABSOLUTEMATTE® COMPACT LAMINATE FEATURES



Horizontal Application



Vertical Application



Fingerprint Resistant



Anti-microbial



Stain Resistant



Heat Resistant



Water Resistant



Scratch Resistant



UV Stable Indoor Use

COMPACT LAMINATE	MULTIPURPOSE		LABORATORY	ALFRESCO
FINISH	Natural	AbsoluteMatte®	Carbide	Carbide
COLOUR	54 colours	16 colours*	7 colours*	11 colours
DECORATED	Double Sided	Double Sided	Double Sided	Double Sided
CORE	Black	Black	Black	Black
THICKNESS	13mm or 18mm*	13mm or 18mm*	13mm or 16mm	13mm
PANEL DIMENSION	3600 x 1800mm	3600 x 1500mm	3600 x 1500mm	3600 x 1500mm
CHEMICAL RESISTANCE	-	-	130+ Chemicals Tested	-
UV RESISTANCE	Indoor Rated	Indoor Rated	Indoor Rated	Covered Outdoor Areas
ELECTRON BEAM CURED SURFACE	-	Yes	Yes	Yes
PROTEC+ ANTIMICROBIAL	Yes	Yes	Yes	Yes
GRAFFITI RESISTANCE	-	-	Yes	-
GECA AND DECLARE	Yes	Yes	Yes	Yes
LIMITED WARRANTY	10 Years	10 Years	10 Years	10 Years
MADE IN AUSTRALIA	Yes	Yes	Yes	Yes

*A select range of AbsoluteMatte® colours are stocked in 13mm Multipurpose Compact (see page 36). All AbsoluteMatte® colours can be Made to Order as Multipurpose Compact with a 21-day lead time (Ex Plant) and a minimum order quantity (MOQ) of six sheets. 18mm Multipurpose Compact in any AbsoluteMatte® colour is also available with the same lead time and MOQ.



STOCKED
Stocked in 13mm.
Available in 18mm as Made to Order.




Otway
AM



Terril
AM



French Navy
AM




Black
AM


MADE TO ORDER
Available in 13mm
or 18mm as MTO.




White
AM




Oyster Grey
AM



Polar White
AM



Aries
AM



Surf
AM



Paper Bark
AM



Spinifex
AM



Green Slate
AM



Pewter
AM



Stormcloud
AM



Moroccan Clay
AM



Kalamata
AM

Legend AM AbsoluteMatte® Finish



Tabletops Laminex Multipurpose Compact Laminate in Otway AbsoluteMatte®
Wall linings Laminex Structural MR® MDF in Oyster Grey

LABORATORY COMPACT LAMINATE


Worktops are a critical element of laboratory furniture and the selection of material used is vital to the efficient and effective functioning of the laboratory environment. Laminex Laboratory Compact Laminate is the premium choice for vulnerable surfaces, with superior moisture, wear and chemical resistant properties. With machinability similar to that of hardwood, it’s a versatile material that can easily incorporate sinks, drip-cups and tap-holes.

Laminex Laboratory Compact Laminate is proudly made in Australia.


Laminex Laboratory Compact Laminate features an Electron Beam Cured (EBC) surface for enhanced chemical resistance and hygienic properties.

Tested against 130+ chemicals, including Silver Nitrate, making this surface suitable for both horizontal and vertical applications in spaces that require the use of harsh chemicals or vigorous cleaning regimes.


It resists acids, alkalis, corrosive salts and other destructive or staining substances, and is graffiti resistant.




White
CB



Parchment
CB



Oyster Grey
CB



Zincworks
CB



Greystone
CB



Terril
CB



Black
CB

Legend CB Carbide Finish



COMPACT LAMINATE	MULTIPURPOSE		LABORATORY	ALFRESCO
FINISH	Natural	AbsoluteMatte®	Carbide	Carbide
COLOUR	54 colours	16 colours	7 colours*	11 colours
DECORATED	Double Sided	Double Sided	Double Sided	Double Sided
CORE	Black	Black	Black	Black
THICKNESS	13mm or 18mm*	13mm or 18mm*	13mm or 16mm*	13mm
PANEL DIMENSION	3600 x 1800mm	3600 x 1500mm	3600 x 1500mm	3600 x 1500mm
CHEMICAL RESISTANCE	-	-	130+ Chemicals Tested	-
UV RESISTANCE	Indoor Rated	Indoor Rated	Indoor Rated	Covered Outdoor Areas
ELECTRON BEAM CURED SURFACE	-	Yes	Yes	Yes
PROTEC+ ANTIMICROBIAL	Yes	Yes	Yes	Yes
GRAFFITI RESISTANCE	-	-	Yes	-
GECA AND DECLARE	Yes	Yes	Yes	Yes
LIMITED WARRANTY	10 Years	10 Years	10 Years	7 Years
MADE IN AUSTRALIA	Yes	Yes	Yes	Yes

*All Laboratory Compact colours stocked in 13mm. Select colours also stocked in 16mm (refer to Laminex National Availability Guide). Any Laboratory Compact colour can be Made to Order in 16mm with a 21-day lead time (Ex Plant) and a minimum order quantity of six sheets.

CHEMICAL RESISTANT LAMINATE FEATURES



Horizontal Application



Vertical Application



Chemical Resistant



Stain Resistant



Heat Resistant



Water Resistant



Scratch Resistant



Impact Resistant



UV Stable Indoor Use

ALFRESCO COMPACT LAMINATE

Laminex Alfresco Compact Laminate will inspire you to spend more time outdoors. With outstanding resilience and sophisticated style, this durable compact laminate opens up even more outdoor design possibilities. Specifically created for covered outdoor areas exposed to the elements, it’s a revolution in outdoor living, allowing seamless design integration between interior and exterior areas.

Laminex Alfresco Compact Laminate is proudly made in Australia.

COMPACT LAMINATE	MULTIPURPOSE		LABORATORY	ALFRESCO
FINISH	Natural	AbsoluteMatte®	Carbide	Carbide
COLOUR	54 colours	16 colours	7 colours	11 colours
DECORATED	Double Sided	Double Sided	Double Sided	Double Sided
CORE	Black	Black	Black	Black
THICKNESS	13mm or 18mm	13mm or 18mm	13mm or 16mm	13mm
PANEL DIMENSION	3600 x 1800mm	3600 x 1500mm	3600 x 1500mm	3600 x 1500mm
CHEMICAL RESISTANCE	-	-	130+ Chemicals Tested	-
UV RESISTANCE	Indoor Rated	Indoor Rated	Indoor Rated	Covered Outdoor Areas
ELECTRON BEAM CURED SURFACE	-	Yes	Yes	Yes
PROTEC+ ANTIMICROBIAL	Yes	Yes	Yes	Yes
GRAFFITI RESISTANCE	-	-	Yes	-
GECA AND DECLARE	Yes	Yes	Yes	Yes
LIMITED WARRANTY	10 Years	10 Years	10 Years	7 Years
MADE IN AUSTRALIA	Yes	Yes	Yes	Yes



Note: Not all colours stocked in all thicknesses but are available Made to Order. Please refer to the Laminex National Availability Guide.



For full technical details, refer to the Technical Support Information available at laminex.com.au

Laminex Alfresco Compact Laminate delivers superior moisture, wear, UV and weather resistance. Its distinctive black core eliminates the need for edge treatment and serves as a striking design feature. Available in 11 décors it’s a low maintenance alternative to wood and other outdoor products.

ALFRESCO COMPACT LAMINATE FEATURES



Legend CB Carbide Finish

MADE TO MEASURE COMPACT LAMINATE

The Laminex Made-to-Measure offer is a hassle-free, ready-to-install compact laminate panel solution. This service easily allows customers and tradespeople to use compact laminate for a variety of internal and external applications, and is ideal for large or small projects, from alfresco kitchens – including doors, panels and benchtops, to restaurant tabletops, laboratory benchtops and doors, and loose commercial furniture.

PAY FOR ONLY WHAT YOU NEED

Panels are customised and charged on a square metre rate: you only pay for what you need. No minimum order applies to this offer.

**NO ADDITIONAL DELIVERY FEES AND
CONVENIENT LEAD TIME**

Regardless of the order size or location, you are only charged with the standard Laminex ‘first order of the day’ fee. From when your order is accepted, our standard lead time is only 10 business days plus delivery. For larger orders, the standard lead time may be impacted. We will inform you of your new lead time once it is entered into the system.


SUPERIOR QUALITY SUBSTRATES

Made-to-Measure Compact Laminate is available in all grades of Laminex Compact Laminate, which are proudly Australian made. All substrates are Global GreenTag certified and feature Protec+ Antimicrobial Technology for added protection and peace of mind.


NO NEED FOR SPECIALTY EQUIPMENT

There is no need for specialist cutting and lifting equipment, as the compact laminate panels are custom made – including the option of routing and pre-drilling for handles and hinges – to meet your design needs.


EDGE PROFILES




2mm Aris



8.5mm Radius Bull Nose



Straight Cut



Sharknose

WARRANTIES:

Laminex Multipurpose Compact Laminate – 10 years
Laminex Laboratory Compact Laminate – 10 years
Laminex Alfresco Compact Laminate – 7 years

Protec+ Antimicrobial Technology



A proud Australian manufacturer

Declare.



For full technical details, refer to the Technical Support Information available at laminex.com.au
For all Made-to-Measure Compact Laminate enquiries please email us at CutToSize@laminex.com.au

Table tops Laminex Multipurpose Compact Laminate in Classic Oak
Wall panels Laminex Decorated Particleboard in Black Birchply
Design and styling Bree Banfield
Photography Mike Baker



LAMINEX WATERLOO™ PARTITIONING SYSTEMS

Laminex Waterloo™ Partitioning Systems will give you a quality complete fitout that will be admired for years to come. Laminex Waterloo™ is made from high quality Australian made Laminex substrates, backed by over 90 years of expertise for quality you can trust. Assembled locally in Australia using only GECA and Declare Red List approved certified Laminex substrates, the Laminex Waterloo™ range includes shower and toilet partitions, locker systems, vanities, seating, privacy panels and wall panels. These can be customised for applications ranging from offices, retail spaces, healthcare facilities, educational facilities, sports and recreation venues and everywhere in between.

WHY USE LAMINEX WATERLOO™ PARTITIONING SYSTEMS?



NATIONAL COVERAGE

- National distribution coverage
- Nationwide approved referral installation network
- National sales and after sales support



SUPERIOR QUALITY

- Made from quality Laminex substrates with GECA certified and Declare Red List Certifications
- Quality and durable system designs including:
 - Reinforced aluminium head rails for system strength
 - Anodised aluminium hardware and stainless steel screws
 - Rounded panel/door edges for added safety measures
- In-house design and manufacturing with total control of the process from start to finish



ANTIMICROBIAL SURFACE TECHNOLOGY

- Laminex Multipurpose Compact Laminate and Structural MR® MDF features Protec+ Antimicrobial Technology, which inhibits the growth of fungal, bacterial and COVID-19 virus properties



PROUD AUSTRALIAN MANUFACTURER

- Assembled in regional Australia
- Made from Australian made substrates



SUPERIOR WARRANTIES & GUARANTEES

- Laminex Compact Laminate Warranty – 10 years
- Laminex Structural MR® MDF Warranty – 7 years
- Partitioning Door Hardware Replacement Guarantee – 5 years

Protec+ Antimicrobial Technology



A proud Australian manufacturer

Declare.



For full technical details, refer to the Technical Support Information available at laminex.com.au
For all Laminex Waterloo™ Partitioning Systems enquiries, please call 132 136 (Option 5) or email us at partitioning@laminex.com.au

Arched Doors Partitioning System Laminex AbsoluteMatte®
Multipurpose Compact in Otway with matte black hardware



CHEMICAL RESISTANT LAMINATE

Laminex Chemical Resistant Thin Laminates are designed to provide advanced protection against damaging chemicals in a number of harsh environments. Economical, durable, stylish and easy to maintain, the innovative laminate construction is intended for interior horizontal and vertical applications.

Laminex Chemical Resistant Laminate is proudly made in Australia.

LAMINEX CHEMICAL RESISTANT LAMINATE	THICKNESS	WEIGHT	FINISH
3600mm x 1200mm	0.8mm (Nominal)	1.0kg/M ² Approx	Natural

Protec⁺ Antimicrobial Technology



A proud Australian manufacturer



These surfaces feature improved chemical resistance to acids, alkalis, corrosive salt and other destructive or staining substances. They're suitable for horizontal surfaces include sinks, counters, laboratory benches and tabletops. Ideal vertical surfaces include cabinets, casework fronts, wall splashback panels or screens.

CHEMICAL RESISTANT LAMINATE FEATURES



Horizontal Application



Vertical Application



Chemical Resistant



Stain Resistant



Heat Resistant



Water Resistant




Scratch Resistant




Impact Resistant




UV Stable Indoor Use




Polar White
N




White
N




Ghostgum
N




Parchment
N




New Antique White
N




Oyster Grey
N



Silver Grey
N



Zincworks
N



Greystone
N

Legend N Natural Finish

Project Victorian Heart Hospital
Architects John Wardle Architects & Conrad Gargett
Photographer Peter Bennetts
Benchtops Laminex Chemical Resistant Laminate in White

METALLIC LAMINATES

The refined glamour of metallic surfaces and features is timeless. From brilliant accents to statement panelling, metallics bring drama and sophistication to any space.

Elevate commercial interiors with our innovative collection of radiant metallic surfaces, manufactured from real metal foils. Featuring tones found in the tapware, handles and hardware industry, this range has an option for all projects.

TECHNICAL DETAILS

SHEET SIZE	THICKNESS	WEIGHT	FINISH
2400mm x 1200mm	0.8mm to 1.3mm	1.5kg/m2 approx (1mm)	Various

Note: Special fabrication requirements apply to Brushed Stainless Steel laminate. Not to be used in high humidity environments as corrosion of the metal foil may occur. Care should be taken with handling and fabrication as damage to the protective surface lacquer will lead to corrosion of the metal. Avoid metal to metal contact when using fittings; use a mastic or gasket to prevent metal to metal corrosion.

LAMINEX METALLIC LAMINATES FEATURES



Vertical
Application




Tactile



Dimensional
Stability

For full technical details, refer to the Technical Support Information available at laminex.com.au




Brushed Stainless Steel




Plex Argent




Plex Graphite




Brushed Titanium



Brushed Brass



Brushed Bronze



Copper Brush



Mirror Smoke



Satin Smoke

CUSTOMART® SURFACES

Laminex CustomArt® Surfaces help you build exciting, dynamic and ever inspirational interiors. Made locally in Australia, they are custom built to ensure you achieve your ideal vision. Perfect for just about any internal application, you can choose a design from our exclusive collection of colours, patterns, photographs or text, or create your own unique palette or print. Whatever you decide, the result will be outstanding. So for eye catching doors, walls, benchtops, ceilings and more, explore the stunning possibilities with Laminex CustomArt® Surfaces.

Laminex CustomArt® Surfaces offer a range of laminate grades. This means they can be used for internal application.

STANDARD LAMINATE (XTRA GRADE)

CustomArt® Xtra Grade is a general purpose laminate for interior applications, including benchtops, tabletops, furniture, wall murals, interior signage and exhibition displays. Its hard surface finish provides added durability against scratching, wear and graffiti. CustomArt® Xtra Grade requires bonding to a suitable substrate prior to installation.

To learn more about the process visit laminex.com.au

COMPACT LAMINATE

With enhanced durability and impact resistance, CustomArt® Compact Laminate is the perfect solution for custom furniture, lockers, tabletops and so much more.



TECHNICAL DETAILS

SHEET SIZE	THICKNESS	WEIGHT	FINISH
3600mm x 1200mm (nominal)	1.0mm (nominal)	1.7kg/m2 approx	Natural
3600mm x 1200mm (nominal)	13mm	1.7kg/m2 approx	

HIGH PRESSURE LAMINATE (HPL) FEATURES



Horizontal Application



Vertical Application



Stain Resistant



Heat Resistant



Water Resistant



Scratch Resistant



UV Stable Indoor Use



Dimensional Stability

WRITABLE SURFACES

Laminex Writable Surfaces help you turn every day surfaces into dynamic zones for sharing and collaboration. The magnetic laminate panels have a decorative face which can be written on with a whiteboard marker and easily cleaned. With product options that include an embedded metal foil layer to ensure magnetic objects hold strongly to the surface, Laminex Writable Surfaces are the ultimate functional solution for creative spaces.


The Laminex Writable Surfaces range is perfect for school or university classroom walls, office wall or partitioning surfaces, meeting and board rooms and restaurant menu boards, tabletops and desktops.

TECHNICAL DETAILS


	LAMINEX DIAMONDGLOSS LAMINATE	LAMINEX WRITABLE MAGNETIC LAMINATE	
	High Pressure Laminate	High Pressure Laminate	High Pressure Laminate on E0 MR® MDF
THICKNESS	0.7mm	1mm	18mm
WRITEABLE	Yes	Yes	Yes
MAGNETIC	No	Yes	Yes
POST-FORMABLE	Yes	No	N/A
DECORATED	Single Sided	Single Sided	Double Sided
PRODUCT DIMENSIONS	3595 x 1395mm	2440 x 1220mm 3050 x 1220mm	3000 x 1200mm 2400 x 1200mm
RECOMMENDED ORIENTATION	Horizontal, Vertical	Vertical, Light Wear Horizontal	Vertical, Light Wear Horizontal
FINISH	DiamondGloss	Gloss	Gloss
WEIGHT (APPROX)	1kg/m2	2.8kg/m2	17.6kg/m2




DIAMONDGLOSS LAMINATE




Polar White




White




Ghostgum



Alabaster




Aries



Oyster Grey

WRITABLE MAGNETIC LAMINATE



Glossy White

VISIT US

For location of your closest showroom or more information visit laminex.com.au

PRODUCT SAMPLE

For a sample visit laminex.com.au

DESIGN STORIES

To hear the latest design and product stories from us, sign up to our newsletter at Laminex.com.au

CALL US

For trade enquiries **132 136**

FOLLOW US

 facebook.com/Laminexau

 au.pinterest.com/Laminexau

 instagram.com/Laminexau

 youtube.com/Laminexau

Laminex[®]

Laminex[®] is manufactured, marketed and distributed by Laminex Group Pty Limited ABN 98 004 093 092. The colours and finishes for all imagery and product swatches in this brochure may vary due to paper, printing processes and photographic lighting. For an accurate representation of the product, please view a physical sample. Please obtain a copy of the terms and conditions of the applicable warranties from laminex.com.au. All warranties are in addition to any rights that may exist under the Australian Consumer Law. Laminex[®], Impressions[™], AbsoluteMatte[®], DiamondGloss[®], Silk[™], AbsoluteGloss[™]. The content of this document is intended as a guide only and its use in any respect is strictly at your own risk. While Laminex has taken all reasonable care in producing this document, Laminex makes no representations or warranties, express or implied, as to the accuracy, reliability or completeness of the information. We recommend that you seek independent advice to determine the suitability of any product or information for your intended application. To the extent permitted by law, Laminex disclaims all liability (including liability for negligence) for all loss, damage, liability or claim resulting from the use of the information provided in this document. Liability which cannot legally be excluded is limited to the maximum extent possible. Copyright in this document is owned by Laminex Group Pty Limited (Laminex). All rights reserved. You must not use, copy, disclose or distribute the content of this document without Laminex' prior written permission.

Copyright © 2026, Laminex Group Pty Limited